



SURFACE FINISH

The surface quality, especially the area in contact with the fluid, greatly influences the cleanability of the equipment. All the products in AdcaPure range are supplied with a standard internal finishing surface that allows an efficient cleanability. Apart from the standard conditions, we can supply several combinations of roughness internally and externally, for optimized performance according to customers' requests.

We apply ASME BPE acceptance criteria, achieved by internal controlled procedures, which in term apply visual inspection and roughness measurements.

AdcaPure range parts are produced in Valsteam's factory, in dedicated high-end machines with high precision, high speed and wear tools control. This allows Valsteam to guarantee controlled surface conditions directly from the machine.

Explanation of surface finishes

- **Fine machined:** Obtained by high performance turning and milling machines. Mechanical polishing where necessary;
- Mechanical polishing: Polished surface, not necessary with a shiny finish;
- Electro polishing: Satin surface finish typical from electro polishing process;
- Mirror: Shiny surface finish;
- Satin bead blast finishing: Obtained by sand blasting process, applicable for actuators, humidity separators, etc.

| STANDARD SURFACE CONDITION * | | | | | | |
|------------------------------|-------------|---------------|------------------|---------------------|--|--|
| SURFACE AREA | Ra≤ [µm] | Ra ≤ [µin] | CODE ASME BPE | SURFACE FINISH | | |
| INTERNAL WETTED PARTS ** | 0,51 | 20 | SF1 | MECHANICAL POLISHED | | |
| EXTERNAL SURFACES | 0,76 | 30 | SF3 | FINE MACHINED | | |

^{*} Does not substitute the information for standard conditions on each product catalogue. ** Not applied to regulating elements. Consult for certified roughness dimensions.

| | OPTIONAL SURFACE CONDITION * | | | | | |
|--------------|------------------------------|------------------|--------------|--|--|--|
| Ra ≤ [µm] | Ra ≤ [µin] | CODE ASME BPE | CODE ADCA | SURFACE FINISH | | |
| 0,38 | 15 | - | AS03 | MIRROR MECHANICAL POLISHED | | |
| 0,38 | 15 | SF4 | - | MIRROR MECHANICAL AND ELECTRO POLISHED | | |
| 0,51 | 20 | SF1 | - | MIRROR MECHANICAL POLISHED | | |
| 0,51 | 20 | SF5 | - | ELECTRO POLISHED | | |
| 0,64 | 25 | SF2 | - | FINE MACHINED | | |
| 0,64 | 25 | SF6 | - | ELECTRO POLISHED | | |
| 0,76 | 30 | SF3 | - | STANDARD MACHINED | | |
| 0,76 | 30 | - | AS07 | ELECTRO POLISHED | | |

^{*} Can be applied under request to any surface, with exception of regulating elements. Please consult.





WELDING

The design of the AdcaPure range valves are in accordance with the latest specifications of ASME BPE and EHDGE directives. The welding tasks are performed by approved welders and according to welding specifications. The process is done manually or via mechanized and orbital machines, inside dedicated rooms with strictly controlled environment to avoid any contamination with external particles.

The welding is subject to a detailed visual inspection according to ASME BPE to guarantee its conformity with high demanding industries.

FROM CLEANING TO PACKING

After the welding and surface finishing operations, the parts enter a certified clean room, to start the process of cleaning and passivation. A full automatic ultra-sound cleaning machine allows us to control the cleaning and protection of the surfaces parts with efficiency.

It is also possible to prepare the equipment's for oxygen applications, with a guaranteed degreasing process.

The parts are then assembled and tested in an ISO14644 clean room, by trained personnel, according to our internal procedures. In the final stage, still inside the clean room, and after all the necessary quality verifications, the products are end capped and vacuum sealed with recyclable plastic film to avoid any contamination.

CERTIFICATES

Our quality system is certified by ISO9001:2015 and guarantees the control of all the processes involved in the project, manufacturing and supply of equipment's. We can supply various sorts of certificates and declarations to attest the conformity of the supplied products.

| CERTIFICATES * | | | | |
|--|---|--|--|--|
| ТҮРЕ | INFORMATION | | | |
| CE Conformity declaration | According to the PED directive | | | |
| AdcaPure specific inspection certificate | Include chemical composition, final testing records, elastomers specifications and approvals, surface finishing requirements. | | | |
| Hydrostatic test report | According to the PED directive | | | |
| Pneumatic test report | According to EN12266-1 | | | |
| Degreasing certificate | Includes treatment information | | | |
| Ultra-sound cleaning report | Includes treatment information | | | |

^{*} Others on request.